


SPOTNAILS®



TOOLS & FASTENERS

NPR90 21° FRAMING NAILER



Weight: 8 lbs. 6 oz.
Dimensions: 21" L x 4" W x 13-3/4" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
NPR90	50 - 75 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Front

Applications:

Framing, Decking, Fencing, Pallets, Sheathing, Crating, Siding, General Manufacturing

Features:

Uses Spotnails® 20-22° Nails, Rubber Grip for Comfort, Restrictive Trigger Available (#AS-97311), Belt Hook, Flush Drive Attachment Available (#AS-99076)



NTD90 31° CLIPPED HEAD FRAMING NAILER



Weight: 8 lbs. 6 oz.
Dimensions: 16-1/2" L x 4-1/2" W x 14-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
NTD90	89 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Front

Applications:

Framing, Decking, Fencing, Pallets, Sheathing, Crating, Siding, General Manufacturing

Features:

Uses Spotnails® 31° Clipped Head Strip Nails, Rubber Grip for Comfort, Restrictive Trigger Available (#AS-97311), Belt Hook, Flush Drive Attachment Available (#AS-99076)



QCND65 0° PLASTIC COLLATED NAILER



Weight: 5 lbs. 2 oz.
Dimensions: 12" L x 5-3/4" W x 13" H

Tool	Nail Capacity	Nail Range	Diameter	Exhaust
QCND65	300 Nails	1-1/4" to 2-1/2" 32mm to 65mm	.083 - .099	Adjustable

Applications:

Fencing, Siding, Pallet/Crate, Manufacturing, Decking, Sheathing, Exterior Trim

Features:

Uses Spotnails® CPD 0° Plastic Insertion Nails, Instant Conversion from Bump Fire to Restrictive Trigger, 360° Adjustable Exhaust, Rubber Grip for Comfort

1-1/4" to 2-1/2"



UCNM65 15° PLASTIC OR WIRE COLLATED NAILER



Weight: 4 lbs. 7 oz.
Dimensions: 12-1/4" L x 5" W x 12-1/2" H

Tool	Nail Capacity	Nail Range	Diameter	Exhaust
UCNM65	300 Nails	1-1/4" to 2-1/2" 32mm to 65mm	.083 - .099	Adjustable

Applications:

Fencing, Siding, Pallet/Crate, Manufacturing, Decking, Sheathing, Exterior Trim

Features:

Uses Spotnails® 15° Plastic Insertion or Wire Weld Coil Nails, Instant Conversion from Bump Fire to Restrictive Trigger, 360° Adjustable Exhaust, Rubber Grip for Comfort

1-1/4" to 2-1/2"



ZCN70 PALLET NAILER



Weight: 8 lbs. 2 oz.
Dimensions: 13-1/2" L x 5" W x 12-3/4" H

Tool	Nail Capacity	Nail Range	Diameter
ZCN70	300 Nails	1-3/4" to 2-3/4" 45mm to 70mm	.090 - .113

Applications:

Fencing, Siding, Pallet/Crate, Manufacturing, Decking, Sheathing, Exterior Trim

Features:

Uses Spotnails® Pallet Nails, Rubber Grip for Comfort

1-3/4" to 2-3/4"



VCN50 MINI CONE COIL NAILER



Weight: 5 lbs. 6 oz.
Dimensions: 11-1/2" L x 4-1/2" W x 10-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
VCN50	350 Nails	1-1/4" to 2" 32mm to 50mm	.083	Adjustable

Applications:

Fencing and Siding

Features:

Uses Spotnails® Cone Coil Nails, 360° Adjustable Exhaust, Rubber Grip for Comfort



VRN45 COIL ROOFING NAILER



Weight: 5 lbs. 6 oz.
Dimensions: 12" L x 4" W x 10-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
VRN45	120 Roofing Nails	7/8" to 1-3/4" 22mm to 45mm	.120	Adjustable

Applications:

Roofing

Features:

Uses Spotnails® Coil Roofing Nails, 360° Adjustable Exhaust, Rubber Grip for Comfort



MT9764 T-NAILER



Weight: 5 lbs. 9 oz.
Dimensions: 15" L x 4-1/2" W x 10-1/2" H

Tool	Nail Capacity	Nail Range	Diameter	Exhaust
MT9764	80 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.097	Adjustable

Applications:

Fastening Tack Strips to Concrete

Features:

360° Adjustable Exhaust, Rubber Grip for Comfort, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included



SPOTNAILS - MEETING THE CHALLENGES OF TODAY'S FASTENING REQUIREMENTS

XT8664 T-NAILER



Weight: 4 lbs. 10 oz.
Dimensions: 14-1/4" L x 3-1/2" W x 10" H

Tool	Nail Capacity	Nail Range	Diameter	Exhaust
XT8664	100 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.086	Adjustable

Applications:
Fastening Tack Strips to Concrete

Features:
Uses *Spotnails® T08611H*, 360° Adj. Exhaust, Rubber Grip for Comfort, Bump or Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included,



XBA1564 15 GAUGE DA ANGLE FINISH NAILER



Weight: 4 lbs. 4 oz.
Dimensions: 13-1/4" L x 3" W x 9-1/4" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
XBA1564	100 Angle Brads	1" to 2-1/2" 25mm to 64mm	15 Gauge	Adjustable

Applications:
Trim Molding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling & Drawer Sides

Features:
Uses *Spotnails® 1500 APB, APG or Senco® DA Brads*, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Bump or Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included



XBFN64 15 GAUGE FN ANGLE FINISH NAILER



Weight: 4 lbs. 10 oz.
Dimensions: 13-1/4" L x 3" W x 9-1/4" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
XBFN64	100 Angle Brads	1" to 2-1/2" 25mm to 64mm	15 Gauge	Adjustable

Applications:
Trim Molding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features:
Uses *Spotnails® 1500 FNG or 15 Gauge Bostitch® FN Angle Brads*, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Bump or Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included



XB1564 15/16 GAUGE FINISH NAILER



Weight: 4 lbs. 4 oz.
Dimensions: 10" L x 3" W x 10-1/2" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
XB1564	100 Brads	1" to 2-1/2" 25mm to 64mm	15/16 Gauge	Adjustable

Applications:
Trim Molding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features:
Uses *Spotnails® 1500 PG & 16 Gauge Brads*, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Bump or Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included



WB1650 16 GAUGE BRADDER



Weight: 3 lbs. 9 oz.
Dimensions: 9" L x 2-1/2" W x 9-1/2" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
WB1650	100 Brads	1" to 2" 25mm to 50mm	16 Gauge	Adjustable

Applications:
Trim Molding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features:
Uses *Spotnails® 16 Gauge Brads*, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Bump or Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included, **Long Magazine is Available (WB1650LM)**



WB1850 18 GAUGE BRADDER

Steel Magazine

Weight: 3 lbs. 9 oz.

Dimensions: 9" L x 2-1/2" W x 9-1/2" H


Tool	Brad Capacity	Brad Range	Diameter	Exhaust
WB1850	101 Brads	1" to 2" 25mm to 50mm	18 Gauge	Adjustable

Applications:

Trim Molding, Hardwood Flooring, Wall Paneling, Furniture & Cabinet Assembly

Features:

Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Bump or Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included, Long Magazine is Available (WB1850LM)

**CB1850 18 GAUGE BRADDER**

Aluminum Magazine

Weight: 2 lbs. 4 oz.

Dimensions: 10-1/2" L x 2" W x 9" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
CB1850	115 Brads	1/2" to 2" 12mm to 50mm	18 Gauge	Adjustable

Applications:

Trim Molding, Hardwood Flooring, Wall Paneling, Furniture & Cabinet Assembly

Features:

Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Bump or Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

**TB1840 18 GAUGE BRADDER**

Weight: 3 lbs. 0 oz.

Dimensions: 9" L x 2-1/2" W x 8-1/4" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
TB1840	101 Brads	1" to 1-9/16" 25mm to 40mm	18 Gauge	Adjustable

Applications:

Trim Molding, Door & Window Casing, Furniture & Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features:

Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Adjustable Depth Control, Plastic Carrying Case Included

**CB1832 18 GAUGE BRADDER**

Weight: 2 lbs. 3 oz.

Dimensions: 10" L x 2" W x 8" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
CB1832	100 Brads	3/8" to 1-1/4" 10mm to 32mm	18 Gauge	Adjustable

Applications:

Trim Molding, Hardwood Flooring, Wall Paneling, Furniture & Cabinet Assembly

Features:

Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Bump or Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

**SP2340 23 GAUGE PINNER**

Weight: 2 lbs. 9 oz.

Dimensions: 10-1/4" L x 1-1/2" W x 7-1/2" H


Tool	Pin Capacity	Pin Range	Diameter	Exhaust
SP2340	100 Pins	1/2" to 1-9/16" 12mm to 40mm	23 Gauge	Front

Applications:

Trim Molding, Furniture & Cabinet Assembly

Features:

Uses Spotnails® 23 gauge Pins, Full Pin Range is 1/2" (12mm), 5/8" (15mm), 3/4" (18mm), 7/8" (22mm), 1" (25mm), 1-3/16" (30mm), 1-3/8" (35mm), 1-9/16" (40mm). Rubber Grip for Comfort, Automatic Height Adjuster For Fasteners, Plastic Carrying Case Included



MS2440 14 GAUGE WIDE CROWN STAPLER




Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS2440	130 Staples	7/8" to 1-1/2" 22mm to 40mm	14 Gauge	Adjustable

Applications:
Truss Manufacturing

Features:
Uses **Spotnails® 2400 Staples & Paslode® Staples**, 360° Adjustable Exhaust, Restrictive Trigger Available (#AS-21026), Quick Clear Nose, Plastic Carrying Case Included

15/16" Crown



MS6564 15 GAUGE MEDIUM CROWN STAPLER



Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4" W x 11" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS6564	138 Staples	1-1/2" to 2-1/2" 40mm to 64mm	15 Gauge	Adjustable

Applications:
Crating

Features:
Uses **Spotnails® 6500 Staples & Senco® Q Staples**, 360° Adjustable Exhaust, Restrictive Trigger Available (#AS-21026), Quick Clear Nose, Plastic Carrying Case Included

7/16" Crown



MS7564 15 GAUGE MEDIUM CROWN STAPLER



Weight: 5 lbs. 9 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS7564	138 Staples	1-1/2" to 2-1/2" 40mm to 64mm	15 Gauge	Adjustable

Applications:
Crating

Features:
Uses **Spotnails® 7500 Staples & Bostitch® BCS1516 Staples**, 360° Adjustable Exhaust, Restrictive Trigger Available (#AS-21026), Quick Clear Nose, Plastic Carrying Case Included, **Long Magazine is Available (MS7564LM)**

1/2" Crown



XS1640 16 GAUGE WIDE CROWN STAPLER




Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS1640	150 Staples	5/8" to 1-1/2" 16mm to 40mm	16 Gauge	Adjustable

Applications:
Insulating Material, Packaging, Crating, Roofing*, Lathing*

Features:
Uses **Spotnails® 1600 Staples & Bostitch® Wide Crown Staples**, 360° Adjustable Exhaust, Restrictive Trigger Available (#AS-21026), Quick Clear Nose, Plastic Carrying Case Included, ***Roofing or Lathing Safety Sold Separately**

1" Crown



XS1650 16 GAUGE WIDE CROWN STAPLER




Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS1650	150 Staples	1" to 2" 25mm to 50mm	16 Gauge	Adjustable

Applications:
Lathing*

Features:

Uses **Spotnails® 1600 Staples & Bostitch® Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case Included, *Lathing Safety Sold Separately



XS2640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS2640	150 Staples	5/8" to 1-1/2" 16mm to 40mm	16 Gauge	Adjustable

Applications:

Insulating Material, Packaging, Crating, Roofing*, Lathing*

Features:

Uses **Spotnails® 2600 Staples & Paslode® GSW 16 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case Included, *Roofing or Lathing Safety Sold Separately



XS2650 16 GAUGE WIDE CROWN STAPLER




Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS2650	150 Staples	1" to 2" 25mm to 50mm	16 Gauge	Adjustable

Applications:
Lathing*

Features:

Uses **Spotnails® 2600 Staples & Paslode® GSW 16 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case Included, *Lathing Safety Sold Separately



XS3640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS3640	150 Staples	5/8" to 1-1/2" 16mm to 40mm	16 Gauge	Adjustable

Applications:

Insulating Material, Packaging, Crating, Roofing*, Lathing*

Features:

Uses **Spotnails® 3600, Senco® P, & Duo-Fast® 1700 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case Included, *Roofing or Lathing Safety Sold Separately, Long Magazine is Available (XS3640LM)



XS3650 16 GAUGE WIDE CROWN STAPLER




Weight: 5 lbs. 2 oz.
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS3650	150 Staples	1" to 2" 25mm to 50mm	16 Gauge	Adjustable

Applications:
Lathing*

Features:

Uses **Spotnails® 3600, Senco® P, & Duo-Fast® 1700 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case Included, *Lathing Safety Sold Separately



XS6650 16 GAUGE MEDIUM CROWN STAPLER



Weight: 4 lbs. 8 oz.
Dimensions: 14-1/2" L x 4" W x 10" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS6650	150 Staples	5/8" to 2" 16mm to 50mm	16 Gauge	Adjustable

Applications:

Plywood Wall Sheathing, Floor Underlayment, Roof & Wall Shingles

Features:

Uses Spotnails® 6600 & 5600, Senco® N & Duo-Fast® 7600 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case, **Long Magazine is Available (XS6650LM)**

7/16" Crown



MS6650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



FOR EXTRA POWER!

Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS6650i	150 Staples	5/8" to 2" 16mm to 50mm	16 Gauge	Adjustable

Applications:

Furniture Frames, Cabinet Sub-Assembly, Millwork - Door Jamb

Features:

Uses Spotnails® 6600 & 5600, Senco® N & Duo-Fast® 7600 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case Included, **Long Magazine is Available (MS6650iLM)**

7/16" Crown



XS76-8650 16 GAUGE MEDIUM CROWN STAPLER



Weight: 4 lbs. 8 oz.
Dimensions: 14-1/2" L x 4" W x 10" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS76-8650	150 Staples	5/8" to 2" 16mm to 50mm	16 Gauge	Adjustable

Applications:

Plywood Wall Sheathing, Floor Underlayment, Roof & Wall Shingles

Features:

Uses Spotnails® 7600 & 8600, Paslode® GS16 & Bostitch® 16S4 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case Included

1/2" Crown



MS76-8650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



FOR EXTRA POWER!

Weight: 5 lbs. 7 oz.
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS76-8650i	150 Staples	3/4" to 2" 19mm to 50mm	16 Gauge	Adjustable


Applications:

Furniture Frames, Cabinet Sub-Assembly, Millwork - Door Jamb

Features:

Uses Spotnails® 7600 & 8600, Paslode® GS16 & Bostitch® 16S4 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Available (#AS-21026), Plastic Carrying Case Included

1/2" Crown



TS6825 18 GAUGE MEDIUM CROWN STAPLER



Weight: 2 lbs. 13 oz.

Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TS6825	168 Staples	3/8" to 1" 9mm to 25mm	18 Gauge	Adjustable

Applications:

Case Backing, Drawer Assembly, Trim Molding, Heavy Cabinet, *Vinyl Siding Installation

Features:

Uses **Spotnails® 6800, Senco® M, & Duo-Fast® W1800 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included, *With Vinyl Siding Safety (TS6825V)

3/8" Crown



WS4840 18 GAUGE NARROW CROWN STAPLER



Weight: 3 lbs. 9 oz.

Dimensions: 12" L x 2-1/2" W x 9-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
WS4840	168 Staples	1/2" to 1-5/8" 12mm to 40mm	18 Gauge	Adjustable


Applications:

Underlayment, Furniture Assembly, Door & Window Trim, Corner Blocks, Drawer & Cabinet Assembly

Features:

Uses **Spotnails® 4800, Senco® L, & Duo-Fast® 1800 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger, Plastic Carrying Case Included, **Long Magazine is Available (WS4840LM)**

1/4" Crown



TS4825 18 GAUGE NARROW CROWN STAPLER



Weight: 3 lbs. 0 oz.

Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TS4825	168 Staples	3/8" to 1" 9mm to 25mm	18 Gauge	Adjustable


Applications:

Underlayment, Furniture Assembly, Door & Window Trim, Corner Blocks, Drawer and Cabinet Assembly

Features:

Uses **Spotnails® 4800, Senco® L, & Duo-Fast® 1800 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included

1/4" Crown



TS3832 18 GAUGE NARROW CROWN STAPLER



Weight: 2 lbs. 13 oz.

Dimensions: 11-1/2" L x 2-1/2" W x 8" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TS3832	168 Staples	1/2" to 1-1/4" 12mm to 32mm	18 Gauge	Adjustable


Applications:

Underlayment, Furniture Assembly, Door & Window Trim, Corner Blocks, Drawer & Cabinet Assembly

Features:

Uses **Spotnails® 3800 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included, **Long Magazine is Available (TS3832LM)**

3/16" Crown



WS4840W2 WS4840W4


18 GAUGE NARROW CROWN STAPLER



Weight: 4 lbs. 11 oz.
Dimensions: 12" L x 2-1/2" W x 9-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
WS4840W2	168 Staples	1-3/8" 35mm	18 Gauge	Adjustable
WS4840W4	168 Staples	1-3/8" 35mm	18 Gauge	Adjustable

1/4" Crown



Applications:

WS4840W2: For Use On Engineered Hardwoods (3/8", 1/2" & 9/16" Floors)

WS4840W4: Designed Specifically For Valinge 2G Type Locking Systems Sold By Robina, Ecotimber & Others. Places The Staple At The Base Of The Tongue To Allow Locking System To Be Maximized

Features:

Uses Spotnails® 4811PN Nylon Coated Staples To Increase Holding Power, 360° Adjustable Exhaust, Rubber Grip for Comfort, Plastic Carrying Case Included

XS1640RFH XS3640RFH


16 GAUGE WIDE CROWN RADIANT FLOOR STAPLERS



Weight: 9 lbs. 1 oz.
Dimensions: 14" L x 3-1/2" W x 36-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS1640RFH	150 Staples	1" to 1-1/2" 25mm to 40mm	16 Gauge	Adjustable
XS3640RFH	150 Staples	1" to 1-1/2" 25mm to 40mm	16 Gauge	Adjustable

1" Crown



Applications:

Radiant Floor Heating

Features:

XS1640RFH Uses Spotnails® 1600 Staples & Bostitch® Wide Crown Staples. XS3640RFH Uses Spotnails® 3600 Staples, Senco® P & Duo-Fast® 1700 Staples. 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Two Guide Blocks For Tubing, Walking Stick Also Available Separately (AS-99090)



FS7550 FLOORING STAPLER FCL2650 CLEAT FLOORING TOOL



Weight: 10 lbs. 0 oz.
Dimensions: 17" L x 3-1/2" W x 21" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
FS7550	100 Staples	1-1/2" to 2" 40mm to 50mm	15 Gauge	N/A
FCL2650	100 Cleats	1-1/2" to 2" 40mm to 50mm	16 Gauge	N/A

FS7550
1/2" Crown

FCL2650
L Cleat



Applications:

FS7550: Install 3/4" Solid Hardwood Flooring

FCL2650: Install 3/4" Solid Hardwood Flooring

Features:



FS7550 Uses Spotnails® 7500 Staples & Bostitch® BCS1516 Staples. FCL2650 Uses Spotnails® 26132 "L" Flooring Cleats. Rubber Grip For Comfort, Plastic Carrying Case Included, Mallet Included

HSC3519A HSC3219C MANUAL CARTON CLOSING STAPLERS



Weight: 3 lbs. 12 oz.
Dimensions: 14"-1/2" L x 4-1/4" W x 11-1/2" H

Tool	Staple Capacity	Staple Range	Exhaust
HSC3519A	100 Staples	5/8" to 3/4" 16mm to 19mm	None
HSC3219C	100 Staples	5/8" to 3/4" 16mm to 19mm	None



Applications:

Carton Closing—For Use Where Compressed Air Is Not Available

Features:

HSC3519A Uses Spotnails® CC58A & CC34A Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length.



HSC3219C Uses Spotnails® CC58C & CC34C Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length

KSC3519A KSC3219C PNEUMATIC CARTON CLOSING STAPLERS



Weight: 4 lbs. 8 oz.
Dimensions: 13" L x 4-1/2" W x 8-1/2" H

Tool	Staple Capacity	Staple Range	Exhaust
KSC3519A	100 Staples	5/8" to 3/4" 16mm to 19mm	Rear
KSC3219C	100 Staples	5/8" to 3/4" 16mm to 19mm	Rear



Applications:

Carton Closing

Features:

KSC3519A Uses Spotnails® CC58A & CC34A Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length.

KSC3219C Uses Spotnails® CC58C & CC34C Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length

KSR3219G KSR3219R PNEU. CARTON CLOSING ROLL STAPLERS



Weight: 5 lbs. 15 oz.
Dimensions: 4-1/2" L x 9-1/4" W x 8-3/4" H

Tool	Staple Capacity	Staple Range	Exhaust
KSR3219G	1000 Staples	5/8" to 3/4" 16mm to 19mm	Rear
KSR3219R	1000 Staples	5/8" to 3/4" 16mm to 19mm	Rear



Applications:

Carton Closing

Features:

KSR3219G Uses Spotnails® CCGR1, 1-1/4" Crown Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length.

KSR3219R Uses Spotnails® CCRR1, 1-1/4" Crown Carton Closing Staples, Easy Adjustment For Staple Depth, Clinch Control and Staple Leg Length.

DSP103020 DSP777 DSP779 PNEUMATIC CARTON CLOSING PLIER STAPLERS



Weight: 4 lbs. 8 oz.
Dimensions: 14" L x 2" W x 10-1/4" H

Tool	Staple Capacity	Staple Range	Exhaust
DSP103020	102 Staples	3/8" to 5/8" 10mm to 16mm	N/A
DSP777			
DSP779	220 Staples	3/8" to 5/8" 10mm to 16mm	N/A

Applications:

Fastening Corrugated Packaging

Features:

DSP103020 Uses Spotnails® 91206, 91208, 91210 & SB103020 Staples, Heavy Duty, Industrial Strength.

DSP777 Uses Spotnails® JK777 Staples, Heavy Duty, Industrial Strength.

DSP779 Uses Spotnails® JK779 Staples, Heavy Duty, Industrial Strength.

JS7116 JS8016 JS5016



Weight: 2 lb. 3 oz.
Dimensions: 8" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
JS7116	100 Staples	5/32" to 9/16" 4mm to 14mm	22 Gauge	3/8"	Front
JS8016	100 Staples	1/8" to 9/16" 3mm to 14mm	20 Gauge	1/2"	Front
JS5016	84 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	1/2"	Front

Applications:

JS7116: Upholstery, Automotive Vinyl & Interior Trim, Insulation, Installation of Wire Screens

JS8016 & JS5016: Upholstery, Roofing Felt, Screening

Features:

JS7116 Uses Spotnails® 71 Series Staples, JS8016 Uses Spotnails® 80 Series Staples, JS5016 Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples

JSA1116



Weight: 2 lb. 3 oz.
Dimensions: 8" L x 1-1/4" W x 6" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
JSA1116	100 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	3/8"	Adjustable

Applications:

Upholstery, Roofing Felt

Features:

JSA1116 Uses Spotnails® A-11 Series Staples

IS7116



Weight: 2 lb. 2 oz.
Dimensions: 9-1/4" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
IS7116	100 Staples	5/32" to 5/8" 4mm to 16mm	22 Gauge	3/8"	Rear

Applications:

Upholstery, Automotive Vinyl, Interior Trim & Insulation

Features:

IS7116 Uses Spotnails® 71 Series Staples

JS7116LN JS5016LN



Weight: 2 lb. 5 oz.
Dimensions: 8-1/2" L x 1-3/4" W x 8" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
JS7116LN	100 Staples	5/32" to 9/16" 4mm to 14mm	22 Gauge	3/8"	Front
JS5016LN	84 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	1/2"	Front

Applications:

JS7116LN: Upholstery, Automotive Vinyl & Interior Trim, **JS5016LN:** Upholstery, Roofing Felt, Screening

Features:

JS7116LN Uses Spotnails® 71 Series Staples, JS5016LN Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples

BS7116AF BS8016AF BS5016AF BSA1116AF



DOUBLE LENGTH MAGAZINE

Weight: 2 lb. 6 oz.
Dimensions: 15-1/4" L x 1-1/2" W x 5-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
BS7116AF	200 Staples	5/32" to 9/16" 4mm to 14mm	22 Gauge	3/8"	Rear
BS8016AF	200 Staples	1/8" to 9/16" 3mm to 14mm	20 Gauge	1/2"	Rear
BS5016AF	168 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	1/2"	Rear
BSA1116AF	168 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	3/8"	Rear

Applications:

BS7116AF: Upholstery, Automotive Vinyl & Interior Trim, Insulation, **BS8016AF, BS5016AF & BSA1116AF:** Upholstery, Roofing Felt

Features:

BS7116AF Spotnails® 71 Series Staples, BS8016AF Uses Spotnails® 80 Series Staples, BS5016AF Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples, BSA1116AF Uses Spotnails® A-11 Series Staples

XC1008 XC1016 RC1016

CORRUGATED FASTENERS

XC1008 & XC1016



Weight: 5 lbs. 3 oz.
Dimensions: 14" L x 3-1/2" W x 9-1/4" H

RC1016



Weight: 4 lbs. 7 oz.
Dimensions: 14" L x 2-3/4" W x 9-1/4" H

Tool	Capacity	Range	Diameter	Exhaust
XC1008	156 Fasteners	1/4" to 5/8" 6mm to 16mm	1/2"	Adjustable
XC1016	120 Fasteners	1/4" to 5/8" 6mm to 16mm	1"	Adjustable
RC1016	120 Fasteners	1/4" to 5/8" 6mm to 16mm	1"	Adjustable



XC1008

1/2" Crown



XC1008

1" Crown



XC1016
RC1016

Applications:

XC1008 For Use On Furniture, Cabinets, Picture Frames and Other Wood Products Including MDF

XC1016 & RC1016 For Use On End Gable or Roof Jack Connections, Hollow Core Doors, Furniture Butt Joints, Pallet Repair.

Features:

XC1008 Uses FFS-MICRO10 1/2" Crown Fasteners

XC1016 & RC1016 Uses Spotnails® 416, 616, 816 & 1016, 1" Crown Fasteners

All three tools have 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger Standard, Bump Fire Available, Plastic Carrying Case Included.

Special Features:

XC1008 Has A Special Angled Nose For More Precise Placement, Long Driver Blade For Deep Countersink, Hinged Nose-Plate For Easy Access

RC1016 Is Used For Stringer Repair, Narrow Enough To Get Between Slats.

GCS8116 20 GAUGE CAP STAPLER



Weight: 4 lbs. 0 oz.
Dimensions: 14" L x 7-1/2" W x 7" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
GCS8116	200 Staples/200 Caps	5/8" 16mm	20 Gauge	Adjustable

Applications:

Installing Housewrap, Roofing Felt

Features:

Uses Spotnails® 136225 Staples, 3/8" Crown Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included



TCS6832 CROSSFIRE 18 GAUGE CAP STAPLER



Weight: 4 lbs. 13 oz.
13-1/2" L x 9-1/2" W x 8-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TCS6832	200 Staples/ 200 Caps	5/8" & 7/8" 16mm & 22mm	18 Gauge	Front
		1-1/4" & 1-1/2" 32mm & 38mm	18 Gauge	

Applications:

Installing Housewrap, Roofing Felt, Foam Board

Features:

Uses Spotnails® 136025 - 136095 Staples, 3/8" Crown Staples, Blue Adjustable Trigger, Rubber Grip for Comfort, Quick Clear Nose



136400 136401 CAP HAMMER TACKERS

by National Nail™



Weight: 2 lbs. 6 oz.
Dimensions: 17" L x 2" W x 5" H



Weight: 2 lbs. 9 oz.
Dimensions: 13-1/2" L x 5-1/4" W x 5-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
136400	168 Staples/ 168 Caps	3/8" 10mm	20 Gauge	N/A
136401	168 Staples/ 168 Caps	3/8" 10mm	20 Gauge	N/A

Applications:

Roofing Felt, Housewrap

Features:

Uses 136420 Staples, Airless Cap System



84001 85000 HAMMER TACKERS



84001 Weight: 2 lbs. 0 oz.

Dimensions: 10-1/2" L x 1" W x 2" H

85000 Weight: 2 lbs. 10 oz.

Dimensions: 12" L x 1-1/2" W x 2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
84001	125 Staples	1/4" - 3/8"	3/8" Crown	N/A
85000	168 Staples	1/4" - 3/8"	3/8" Crown	N/A

Applications: Insulation, Carpeting, Roofing, Tar Paper, Poly Sheeting

Features: 84001 Uses Spotnails® 84504, R19 Staples, 85000 Uses Spotnails® A-11 Series Staples (85504, 85505, 85506 or 85126). Lightweight, Powerful, Fast, Finger Grips.



07020D CLIPPER PLIER STAPLER



Weight: 1 lbs. 0 oz.

Dimensions: 6-3/4" L x 3/4" W x 3-7/8" H


Tool	Staple Capacity	Staple Range	Diameter	Exhaust
07020D	210 Staples	1/4" - 6mm	1/2" Crown	N/A

Applications:

Laundries, Dry Cleaners, Checkout Counters, Factories

Features:

Uses 1/2" Undulated Crown Staples 70001 For Strength or Standard Office Staples 76001 In 1/4" Length, All Steel Construction, 2-5/8" Throat Depth



OPTIONAL TOOL ACCESSORIES

VINYL SIDING ATTACHMENT KIT




AS-99077 For 16 Gauge Medium Crown Tools
AS-99087 For 18 Gauge Medium Crown Tools

LATHING OR ROOFING SAFETY



For 16 Gauge Wide Crown Tools, 1-1/2" Max.
P-53167 For Lathing, P-53175 For Roofing

FILTER END CAP ASSEMBLY



P-97454
For X Body Tools

POSITIVE PLACEMENT ATTACHMENT KIT



AS-99080
For WS4840

LONG MAGAZINE TOOLS



Long Magazines Available For:

WB1650 Capacity: 200
WB1850 Capacity: 200
WS4840 Capacity: 300
XS6650 Capacity: 337
MS7564 Capacity: 200
MS6650i Capacity: 337
TS3832 Capacity: 300
XS3640 Capacity: 300

UPHOLSTERY STAPLE REMOVER



P-97482

NEW!

WALKING STICK




AS-99090
For All "X" Body Tools,
Can Be Modified For
"M" & "W" Tools

REMOTE VALVES




AS-97269 For C, J, S, T, W Body Tools
AS-97290 For X & M Body Tools

ROOFING NAILS

	Stock #	Length
	CRN10SSR-7.2M	1-1/4"


COIL FENCING NAILS

	Stock #	Length
	CW4D090SSR-3.6M	1-1/2"
	CW5D090SSR-3.6M	1-3/4"
	CW5.5D090SSR-3.6M	1-7/8"
	CW6D090SSR-3.6M	2"
	CW7D090SSR-3.6M	2-1/4"
	CW8D090SSR-3.6M	2-1/2"


21° ROUND HEAD NAILS

	Stock #	Length
	2-8D113SSR	2-3/8"
	2-10D120SSR	3"
	2-12D120SSR	3-1/4"

15 GAUGE ANGLE BRADS

	Stock #	Length
	1512APS	1-1/2"
	1516APS	2"
	1520APS	2-1/2"




16 GAUGE BRADS

	Stock #	Length
	16124SS	1-1/2"
	16132SS	2"
	16140SS	2-1/2"


18 GAUGE BRADS

	Stock #	Length
	18110SS	5/8"
	18112SS	3/4"
	18116SS	1"
	18120SS	1-1/4"
	18124SS	1-1/2"
	18132SS	2"


FINE WIRE STAPLES (Duo-Fast® 50 Series)

	Stock #	Length
	35504SS	1/4"
	35506SS	3/8"
	35508SS	1/2"
	36504SS	1/4" Div. Pt.
	36506SS	3/8" Div. Pt.
	36508SS	1/2" Div. Pt.


15 GAUGE STAPLES (Bostitch®)

	Stock #	Length
	7516PS-4.5M	2"


15 GAUGE STAPLES (Senco® Q/Duo-Fast®)

	Stock #	Length
	6520PS-6.2M	2-1/2"

16 GAUGE 15/16" WIDE CROWN STAPLES (Paslode®)

	Stock #	Length
	2608PS-10M	1"


16 GAUGE 1" WIDE CROWN STAPLES (Senco® Duo-Fast®)

	Stock #	Length
	3608PS-10M	1"




16 GAUGE 1/2" MEDIUM CROWN STAPLES (Paslode® GS)

	Stock #	Length
	8608PS-10M	1"
	8609PS-10M	1-1/8"
	8610PS-10M	1-1/4"
	8612PS-10M	1-1/2"
	8614PS-10M	1-3/4"
	8616PS-10M	2"

16 GAUGE 7/16" CROWN STAPLES (Spotnails®/Bostitch®)

	Stock #	Length
	7610PS-10M	1-1/4"
	7612PS-10M	1-1/2"
	7614PS-10M	1-3/4"
	7616PS-10M	2"

FINE WIRE STAPLES (71 Series/Senco® C)


	Stock #	Length
	87004SS	1/4"
	87006SS	3/8"
	87008SS	1/2"



16 GAUGE 7/16" CROWN STAPLES (Senco®/Duo-Fast®)

	Stock #	Length
	6608PS-10M	1"
	6610PS-10M	1-1/4"
	6612PS-10M	1-1/2"
	6614PS-10M	1-3/4"
	6616PS-10M	2"


16 GA 7/16" INTERMEDIATE CROWN STAPLES (Paslode® GSI/Duo-Fast®)

	Stock #	Length
	5636PS-10M	1-1/8"
	5640PS-10M	1-1/4"
	5648PS-10M	1-1/2"




18 GAUGE 1/4" NARROW CROWN STAPLES (Spotnails®/Duo-Fast®/Senco®)

	Stock #	Length
	4803PS-50M	3/8"
	4805PS-25M	5/8"
	4806PS-25M	3/4"
	4807PS-25M	7/8"
	4808PS-25M	1"
	4810PS-25M	1-1/4"
	4812PS-25M	1-1/2"





FINE WIRE STAPLES (Rapid® A-11/Arrow® T-50 Series)

	Stock #	Length
	85506SS	3/8"

FINE WIRE STAPLES (Duo-Fast® 80 Series)

	Stock #	Length
	98004SS	1/4"
	98006SS	3/8"
	98008SS	1/2"

KEY CODE

	DUO-FAST®		SPOTNAILS®		PASLODE®
	SENCO®		BOSTITCH®		JK®/BEA®/RAPID®

SPOTNAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
2-6D113 - 2-16D131 20-22 Degree Nails 2" - 3-1/2"	NPR90 YPR90	FramePro 502 FRH, 600 FramePro 650/651/602/652 GT90RFH, SN902/952XP FramePro 702XP/752XP-FRH SN60, SN65, SN65C	CN350 SNP-83 CN-137 NSP-350F New	F21PL N95RHN KN85PP-1 N88RH/N86S RN90	5350/SRH-20 5325/SRH	FR350	NR83A (20°) NR90	GRTRH350	D51850 D51845 D51844	AN923 AN8300 AN922	SN80/90 SN883RH SN890RH GS683RH GS683H-EX	Rigid: R350CHA Fasco: F5C-RHN20-90A Fasco: F6C-RHN20-100A Fasco: F5C-RHN20-83 Fasco: F6 RHN20-90
Clipped Head Strip Nails (31°) 2" - 3-1/2"	YTD90 NTD90	SN70XP, SN951XP SN2+, SN3, SN70 FramePro 701XP/751XP FramePro 601/651/600/650 FramePro 700 FramePro 750 SN325+, SN2, SN4		N90PT F33PT N79PT	PF350 Impulse 325 Impulse 350 IM CT 5300, 5325 5350 PM5350-90S F350S, F400S GN212, SK312	FC350 FM350	NR90AA NR90AD NR83AA3 NR83AA NR90GC	GRTCH350	D51825 D51823 D51822	AN943 AN942	SN890CH/34 SN883CH/34	Rigid: R350CHA Fasco: F6 HHN 31-90 Fasco: R5C HHN 31-90
CW Series Nails Flat Coil Nails .113 - .131 2-3/8" to 3-1/4"	YCN83	PalletPro 83 Coil Nail SCN65 SCN60 SCN300	CNW-75 DCN-325/85L	N75C-1/N89C-1 N80C/N80CB N86C N100C N100CPP	F275C F325C F4250/65CP F4275/CN70 5325/CN80 P350C	Coil 350	NV83A NV83A2 NV65AB NV65AC			AN901	CN70 to 2-3/4" Max CN80 CN80F to 3-1/4" Max CN100 CN890S to 3-1/2" CN890II CN665, HN90	Fasco: R5CN15W-90A Fasco: F5CCN15W90 Fasco: F5CCN15W75 Bea: T701 Bea: 900DC Bea: 800DC
CW Series Nails Flat Coil Nails .099 2" to 2-3/8"	MCW64 ZCN70	PalletPro 70 PalletPro 90 SCN45, SCN56 SCN60 SCN65 SCN200 SCN300 SCN60XP	CNW-75	N63CP N64CP N57C N70C N86C, N100C N70CB N80CB N100CPP	P275C P350C F4250/65CP 4275/CN70 5325/CN80 F275C F325C	Coil 250	NV65AB NV65AC	GRTCS250 GRTCN90P		AN611 AN621	CN550S CN70 to 2-3/4" CN80 to 3-1/4" CN80F CN100 CN89011 CN565 CN890S	Fasco: F45C CN15W- -PS65 S.A Fasco: F5 CN15W-65 Fasco: R5 CN15W-65
CW Series Nails Flat Coil Nails .083 1-1/4" to 2-1/2"	LCN57 UCNM65	PalletPro 57F Coil Nail SCN45 SCN49		N64C N65CP N66C N55C, N50C	3225			GRTCN57 GRTCN70			HN65 CN65 CN55	Fasco: R4 CN15W-50
CWC Nails Cone Coil Nails .083 1-1/4" to 2"	VCN50	SCN45					NV50A1				CN502	
CRN08G-CRN14G Roofing Coil Nails 1" to 1-3/4"	VRN45	SCN200R SCN40R RoofPro 450 RoofPro 455XP	DRN-45 RN-175A	N12B RN45, RN46 RN45B N12-40	3175/44RCU R175C	134R RN175 RN175A	NV45AE(S) NV45AB NV45AC NV45AB2	GRTCR175	D51321	AN451	CN445R CN450R	Rigid: R175RNA Fasco: F3C CN15W-32 Fasco: R4 CN15W-45 Fasco: F4CN15W-45
CPD Series Nails Coil Plastic Duo-Fast 1-3/4" to 2-1/4"	QCND65		DCN-225 KDN-50A RCN-60 RCN-70/60A CNP-60Y CNP-65Y RCN-60/225AD.									
CPM Nails Plastic Coil - Max Type 2.25 x .092		SCN45 SCN56 SCN55S SCN49		N63CP N66C		Coil250	NV65AH HV75AG	GRTCS250		AN611	CN4525K CN552S, CN565S CN565D, CN890S HN65	Fasco: F45C CN15WPS-65
T08611H T-Nails 11/16"	XT8664			M111812CNCT MA-097-T								Fasco: F45C NT-70 SS
1508APB-1520APB 15 Gauge Angle Brads 1" to 2-1/2"	XBA1564	FinishPro 41XP, 42XP SFN40 FinishPro 35 SFN1, SNF1+ SN1, SFN30, SFN2B Airfree 41	DAFN-6480			DA250A DA250B DAFN- 6480 CDA250	NT65MA3 NT65MA2 NT65AA NT65MA MT65GA	GRTAN25	D51275 D51276K DC628K	AF633 AF631 AF632	NF-550/15-65	Rigid: R250AFA Fasco: F3C BA-50 Fasco: F4 BA-65 Fasco: R3C BA-50C Fasco: R4 BA-65 Fasco: F48A-65CT
1510-1520 15 Gauge Brads 1-1/4" to 2-1/2"	XB1564											
1510FNG-1520FNG 15 Gauge Bostitch FN Brads 1-1/4" to 2-1/2"	XBFN64			N60FN N62FN							NF510/15-50	
16212FNG-16220FNG 16 Gauge Angle Brads 1-1/2" to 2-1/2"				N52FN	T250A-F16 T250-F16 3250-F16				DC618K Cordless DC614KA Cordless		NF510/15-50	
16512-16540 16 Gauge Brads 3/4" to 2-1/2"	WB1650 XB1564	Finish Pro 32	Sure Shot 764 LFN-748A 1-1/2" LFN-764A-2" BFN-740	FN1664K FN16250K-2 SB-1664-FN T40-B T36-50 T35-40	T250-F-16 3250-F16 IM250-F16 MU-112, F1620 MU-212-F	FN250 FN250A FN250B FN200	NT65M2 NT65A3 NT65GS NT65A2 NT65A,	GRTFN250	D51256 DC51257K DC612KA Cordless DC616KA Cordless		NF 352-ST/16-50	Rigid: R250SFA Haubold: SKS64A/16 Omer: 14.63NS, 14.50 Fasco: F3C FN-50A Fasco: F26C FN-50 Fasco: F3P FN50

SPOTNAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
18008-18532 (AX) 18 Gauge Brads 1/2" to 2"	WB1850 TB1840 CB1832 CB1850	Finish Pro 15XP Finish Pro 18 XP Finish Pro 2N1 Finish Pro 25XP LS4 LS5 SLP20/LS1 SDN18BR	BB-4440 DBN-40525C Pro-5 DBN-4440 DBN-4450 SureShot 4450 SureShot 4450ST	BT1855K BT35B BT50B BT125SK BT200K T29-30,T31-1 SB01842BN SB01850BN SB-21N1	T125-F18 T200-F18 Cordless 901000 2138-F18 2138-F18II IM200-F18	BN125A BN138 BN200A/B BN200V12	NT45A NT32AE NT50AD NT50AE	GRTBN200	D51238 D51236K DC608K	AF501 AF502 AF503 AF505	NF 211/18-25 NF 211/18-50 NF 221/18-55 NF255-ST/18 NF201/18-35 (PX Only)	Rigid: R213BNA Omer: 12.20, 12.40 Omer: 12.50 Fasco: R3C-GN-50 Fasco: F21 GN-40A Fasco: F20 PGN-31 Fasco: F20 TGN-40 Fasco: F25A GN-40 Fasco: F26C GN-50
18008AY-18516 (AY) 18 Gauge Brads, 1/2" to 1"		SLP20, LS4/LS5 Finish Pro 25XP						F21T GN-40A CT				
23005-23032 23 Gauge Headless Pins 5/16" to 2"	SP2325 SP2340	SHP10 Finish Pro 10 Finish Pro 11	SureShot 2336	HP118K		Pin 100 Pin 138	NP35A	GRTPIN23		AF201Z	NF235A/23-35	Omer: PR.18, P.25, PR.28 Fasco: F1B A64 12/18 Rigid: R138HPA Cadex: CP-23-30 Cadex: CP-23-35 Cadex: CP-23-50 Grex: P650, P645 Grex: P635
2407PGH-2410PGH Wide Crn 15/16" High Tensile	MS2440				4150-W14 MU-112-W14							
7512-7520 15 Gauge 1/2" Med Crn Staples, 1-1/2" to 2-1/2"	FS7550 MS7564		FloorMaster- -200-S	MIII-FS			N5009AF	GR200FS				Primatch: P260 Primatch: P220
6512-6520 15 Gauge 7/16" Med Crn Staples, 1-1/2" to 2-1/2"	MS6564	SQS55XP	MS-1580D									
1605-1620 16 Gauge 1" Wide Crown Staples, 5/8" to 2-1/2"	XS1640 XS1650 XS1640RFH			43852R T35-8 T35-32 450S2R T40S2-CT T50S2-1						AT2550A		Omer: WS.38 Fasco: F3C ATW-38
2605-2616 16 Gauge 15/16" Wide Crn Staples, 5/8" to 2"	XS2640 XS2650				S150-W16R S200-W16 MU-112-W16R 3150-W16 3150-W16R 3200-W16		N5021A					Omer: WK.38 Fasco: F3C PSW-38R Fasco: R3C PSW-39CT
3605-3616 16 Gauge 1" Wide Crown Staples, 5/8" to 2"	XS3640 XS3650 XS3640RFH	MW, MWXP-1, PW, PW-2" PW-R, PW 200 PW150/R SPS, SPS-RFR	KW-1748 RNS-1748I RS-1748 SW-1748				N5024A N3824A	GRTS1200				Omer: WP.38 Fasco: R3C SNW-38TL Fasco: F3C SNW-38R
6605-6616 16 Gauge 7/16" Med. Crn Staples, 5/8" to 2"	XS6650 MS6650i	M1, M2+, M2 SKS N12-N17 SNS45, SNS40, SNS41 SNS44XP, SNS45XP SNS50, SKSXP-N		438S5 538S5 650S5 T40S5 750S5		MS200	N5008AB N5008AC	GRTSM200	D51430	AT1150A	TA551A/16-11 TA551/16-11	Fasco: F4 PG-50 Fasco: F45C G-55 Fasco: R3 CG-40CT Fasco: R4 PG-50CT Fasco: F45C B7-55 SS
7605-7616 16 Gauge 1/2" Med. Crn Staples, 5/8" to 2"	XS76-8650 MS76-8650i			750S4 850S4 T55S4-1 T40S4-CT T36-1, T36-50 650S4 T50S4-1 438S4, T38								
8605-8616 16 Gauge 1/2" Med. Crn Staples, 5/8" to 2"	XS76-8650 MS76-8650i				IM200-S16 S200-S16 MA-S16L 3200-S16 3200-S16P 3150-S16 PA-200				D51431			Fasco: R3C HD-40 VIL-SID Fasco: F45C GG/16-SS
5620-5664 16 Gauge 7/16" Int. Crn Staples, 1" to 2"	XS6650 MS6650i		KS-7648 1-1/2" MS-7664E 2" DS-7656P 1-3/4" DS-7664P 2" SM-7648 SM-7664		3150/38 116 GSI 3150 3200-116 MA-GSI116	MS200	N5008AC/P N5008AB			AT1150A	TA551/76	
5803-5812 18 Gauge Intermediate Crn Staples, 3/8" to 1-1/2"				S32SL SL150 SB150SLBC								BeA: 92/25-553 BeA: 92/40-722 Fasco: F22A 92-25
6803-6812 18 Gauge Intermediate Crn Staples, 3/8" to 1-1/2"	TS6825	SKS-M SLS20-M SLS25-M	DMS-W1832 SS W1848									Fasco: F21T SG-25
7806-7808 18 Gauge 7/16" Med. Crn Staples, 5/8" to 1"					3150/38 118Q GSI-18							
4803-4813 18 Gauge 1/4" Narrow Crn Staples, 3/8" to 1-5/8"	WS4840 TS4825 WS4840W2 WS4840W4	SLS15MG SKSN4450 KMN4450 SLS25XP LN4450, SKS L FinishPro 2N1 SLS18, SLS20	SureShot 1848F SureShot 1832 SureShot 1848 KB-1836 SureShot 1848SL KN1848A BN-1832 DNS-1840			NS100 NS150 NSS150 NS100B NS100A NS150A NS150B	N3804AB2/3 N3804AB	GRTSN150	D51420K D51422K	AT638	TA238/18-6	Rigid: R150FSA Kihlberg: PN6040V Fasco: F20P 90-25 Fasco: F20T 90-30 CT Fasco: F20T 90-40 CT Fasco: R3C 90-40 CT

SPOTNAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
4811PN 18 Gauge 1/4" Narrow Crn Staples, 1-3/8"	WSA4840W2 WSA4840W4											
1803-1812 18 Gauge 7/32" Narrow Crn Staples, 3/8" to 1-1/2"				S32SX SX150 SX1838K								
3804-3810 18 Gauge 3/16" Narrow Crn Staples, 1/2" to 1-1/4"	TS3832 AF3807S											Fasco: F3 38-30CT
2806-2812 GSN Series 18 Gauge 3/16" Narrow Crown, 3/4" to 1-1/2"					2125118 MU112-N18 2118-N18 2125-N18 3150-N18 S150-F18							
416-616-816-1016 1" Wide Corrugated Fasteners, 416-1/4", 616-3/8", 816-1/2", 1016-5/8" Lengths	XC1016 RC1016	SC2	DCF-100A	BA-T358								Fasco: R4P CF-12CT Fasco: F45C CF9-15SS (CT) BeA: WM
CC-A Carton Closing Staples 1-3/8" Crown	HSC3519A KSC3519A			T541202 T541302 T541402 T551212 T551312								CCC: HC-A, AC-A ISM: HB100T, AB100T Kihlberg: a.560M Kihlberg: a.560M22 Kihlberg: a.560PN Kihlberg: a.560PN22 Klinch-Pak: KP-APN Klinch-Pak: KP-APN22 Klinch-Pak: KP-AM
CC-C Carton Closing Staples 1-1/4" Crown	HSC3219C KSC3219C			T542202 T542302 T552212 T552312								BeA: AT-C18 CCC: HC-C, AC-C Kihlberg: 561/56PN Kihlberg: a.561M Kihlberg: a.561M22 Kihlberg: a.561PN Kihlberg: a.561PN22 Klinch-Pak: KP-CN Klinch-Pak: KP-CM ISM: HB150T, AB150T
CCRR1 Carton Closing Roll Staples	KSR3219R											CCC: RC1000 Kihlberg: R557PN Klinch-Pak: KP-RR1
CCGR1 Carton Closing Roll	KSR3219G											Klinch-Pak: KP-GR1 ISM: RA1000T
CCBR1 Carton Closing Roll				D60ADCSB D61ADC, D62ADC								Klinch-Pak: KP-SWC
136025-136095 Cap Stapler, 5/8" to 1-1/2"	TCS6832											
136225 Cap Stapler, 5/8"	GCS8116											
26124-26132 Flooring Cleat 1-1/2" to 2"	FCL2650	SHF50/15/10	FloorMaster-200-C	HFN1 MHFN MFN200		FCN200		GR200LCN				Powernail: 445/445Flex Powernail: 45/45R Primatech: P210/P240
31004-31009 3/8" Crown Fine Wire 1/4" to 9/16", 31 Series			SS 3118 SS3118 DLAF									Fasco: F1A31-16
33004-33009 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to 33 Series			EIB-3318									
35504-35509/36505 1/2" Crown Fine Wire Staple 1/4" to 9/16" Similar to 50 Series	35000 DS5016, JS5016 JS5016LN BS5016AF		SS 5020 SS5020S SS 5020 DLAF HT550, CT859									BeA: 95/14 Kihlberg: 64 Fasco: F1A 50-16
32506-32509/34509 3/16" Crown Fine Wire Staple 3/8" to 9/16" Similar to 54 Series			SS 5424 ENC-5418 BN-5424	CR1000E								Fasco: F1A 54DF-18 Fasco: F1B 54DF-18
38506-38509/35706 1/2" Crown Fine Wire Staple 3/8" to 9/16" Similar to 75 Series	35700		HT755									
97506-97516 1/8" Crown Fine Wire Staple 3/8" to 1" Similar to 97 Series				LHF97125-2 BA-T407.BA-T510 S3297-LHF-2		FCN200		GR200LCN				
91206-91210 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to SB103020	DSP103020			P50-10B								
82504-82509 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to STCR5019				PC2K H30-8D6 H30-8, T5-8 ET5, T15								Kihlberg: R-19 Fasco: F1BSR5-16

SPOTNAILS FASTENERS	Spotnails® Tools	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
81504-81508 3/8" Crown Fine Wire Staple 1/4" to 1/2" Similar to STCR2619				H30-6 T5-6 P6C-6 PC3000-0C2								
67504-67508 1/2" Crown Fine Wire Staple 1/4" to 1/2" Similar to SB5019		DFF, J5 SFW10XP-F SJS-F SJ10-F		P51-5B-E P50-5B								Fasco: F1A SR5-16
78504 1/4" Fine Wire Staple Similar to STCR2115				B-8P								
73004 3/8" Crown Fine Wire Staple 1/4" Similar to SP19				P-3								
85504-85509/86506 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to A-11/T-50	85000 JSA1116 BSA1116AF	H Slap Hammer	Slapshot	PHT150C TR100 TRE500								Arrow: T-50, HT-50 Rapid: A-11, R-11 Fasco: F1A A11-16 Fasco: Auto L/M
84504 3/8" Crown Fine Wire Staple 1/4" Similar to Rapid 19, 28, 30	84000 84001											Rapid: R-19
94206-94210 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to JK777	DSP777											Kihlberg: JK-20T-L
95506-95510 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to JK779	DSP779											Kihlberg: JK-20T JK-20T-L
87002-87009 3/8" Crown Fine Wire Staple 1/8" to 9/16" Similar to 71 Series	DS7116 JS7116, IS7116 JS7116LN BS7116AF	SJS JG SFTB	BN5424	21671B 21671B-LN 21671B-A 21671B-ALM		US58						BeA: 71/14 Kihlberg: 20/670 Haubold: PN814 Fasco: F1B 7C-16, F23G-16
98004-98009 1/2" Crown Fine Wire Staple 1/4" to 9/16" Similar to 80 Series	DS8016 JS8016 JS8016LN BS8016AF			21680B 21680BLN 21680B-ALM								BeA: 80 Haubold: PN814 Kihlberg: JK-20-680
99004-99009 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to 1400 Series												Haubold: PN1416F Haubold: PN141G

The TEBO™ & TEBO Decker™ Hidden Deck Fastener

The Fastest Way To A Better Looking Deck!!

- No Unsightly Fastener Marks or Dangerous Pop Ups!
- For Use With Any Thickness of Deck Board, Hard or Soft Woods & Composites!
- **Stainless Steel Fasteners** For Long Lasting Performance

LOCKS DECK BOARD & JOIST SIMULTANEOUSLY WHILE 3RD PRONG LOCKS NEXT BOARD INTO PLACE



Simple As . . .



#TEBO2 TEBO Decker™ Fastener Tool

Cap Staplers



TCS6832 18 Gauge Cap Stapler.



GCS8116 20 Gauge Cap Stapler.

- **Quality Installation Has Never Been So Easy!**
- **10 Times Faster Installation Than With Hand Driven Applications**
- **Ideal For Installing Housewrap, Foam Board* and Roofing Felt**



The exclusive basket feed loads in seconds and eliminates cardboard sleeves or tubes.



Cap Staples have 10x greater holding power than staples alone.

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TCS6832	200 Staples/ 200 Caps	5/8" & 7/8" 16mm & 22mm 1-1/4" & 1-1/2" 32mm & 38mm	18 Gauge 18 Gauge	Front

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
GCS8116	200 Staples/200 Caps	5/8" 16mm	20 Gauge	Adjustable



Roofing Felt



Foam Board - *TCS6832 Only



House Wrap



1100 Hicks Road • Rolling Meadows, IL 60008 • USA
 Phone: 847.259.1620 or 800.873.2239 • Fax: 847.259.9236
 or 888.369.2588 • www.spotnails.com